

MillLine


BALLFINISH
NOSE

www.tungaloy.com

Tungaloy Report No. 431-G



Indexable endmill **for high-precision finishing**



INDUSTRY 4.0
FEED the SPEED!



ACCELERATED MACHINING

MillLine

BALLFINISH NOSE

TUNGALOY




Excellent surface finish and stable machining due to secure clamping and minimum run-out

New indexable endmill for die & mold and aerospace industries.

Secure clamping mechanism



Clamping force gathers on the flat part of the insert hole as the screw is tightened. The force pushes the insert towards the cutter body, providing high repeatability and rigidity as well as minimum run-out.



Asymmetric shape of the insert and directed clamping force maintains centrality of the insert under 3 dimensional cutting force.

Unique coolant delivery system



- The coolant channel on insert surface, delivers coolant to the cutting edge from three directions.
- Excellent chip evacuation and cooling effect provides good surface finish and long tool life in machining of hardened steel.


Two insert varieties

MJ chipbreaker


Ball nose type: ZFBM



- Suitable for finishing and three-dimensional milling of die & mold
- Applicable for a wide range of operations



Radius type: ZFRM




- Suitable for finishing of die & mold
- Designed for milling with high productivity

MODULAR TYPE

HBFM

Indexable endmills with TungFlex threaded adaptation for high precision finish




Designation	ϕD_c	L_6	L_f	C	T	ϕD_3	T_s	Air hole	Insert
HBFM10M06	10	34.5	20	5	7	9.7	M6	with	ZF*M100...
HBFM12M06	12	37.5	23	5	7	11.5	M6	with	ZF*M120...
HBFM12M08	12	40	23	8	10	13	M8	with	ZF*M120...
HBFM16M08	16	47	30	8	10	13	M8	with	ZF*M160...
HBFM20M10	20	49	30	10	15	19	M10	with	ZF*M200...
HBFM25M12	25	57	35	10	17	24	M12	with	ZF*M250...
HBFM30M16	30	66	43	12	22	29	M16	with	ZF*M300...
HBFM32M16	32	66	43	12	22	29.5	M16	with	ZF*M320...

SM

Endmills - modular shank



TUNGFLEX




Designation	ϕD_s	L	l_s	L_1	ϕd	M	α°	Shank type
SM06-L60C10	10	60	40	20	9.7	M6	0	Cylindrical
SM06-L105-C12	12	105	45	60	9.7	M6	1.2	Cylindrical
SM06-L125-C16	16	125	65	60	9.7	M6	3.3	Cylindrical
SM08-L73C16	16	73	48	25	13	M8	0	Cylindrical
SM08-L128-C16	16	128	48	80	13	M8	0.9	Cylindrical
SM08-L170-C20	20	170	103.2	66.8	13	M8	3.3	Cylindrical
SM10-L80-C20	20	80	50	30	18	M10	0	Cylindrical
SM10-L130-C20	20	130	50	80	18	M10	0.6	Cylindrical
SM10-L200-C25	25	200	142.8	57.2	19	M10	3.3	Cylindrical
SM12-L86-C25	25	86	56	30	21	M12	5.1	Cylindrical
SM12-L200-C32	32	200	122	78	21	M12	4.4	Cylindrical
SM16-L95-C32	32	95	60	35	29	M16	1.7	Cylindrical
SM16-L230-C32	32	230	180	50	29	M16	1.8	Cylindrical

SPARE PARTS


Designation	Clamping screw	Torx bit	Grip	Wrench
HBFM10...	TS 30F100A	-	-	T-10D
HBFM12...	TS 40F120A	-	-	T-15D
HBFM16...	TS 50F160A	BT20S	H-TB2W	-
HBFM20...	TS 60F200A	BLDT25/M7	H-TB2W	-
HBFM25...	TS 70F250A	BLDT25/M7	H-TB2W	-
HBFM30...	TS 80F300A	-	-	T-T30
HBFM32...	TS 80F300A	-	-	T-T30

INSERT

ZFBM-MJ



ZFRM-MJ



P Steel	☆	★
M Stainless		☆
K Cast iron	★	☆
N Non-ferrous		☆
S Superalloys		★
H Hard materials	★	☆

★ : First choice
☆ : Second choice

Designation	rε	Coating										A	T	
		AH710	AH725											
ZFBM080R00-MJ	4	●	●										8	2.4
ZFBM100R00-MJ	5	●	●										10	2.9
ZFBM120R00-MJ	6	●	●										12	3.4
ZFBM160R00-MJ	8	●	●										16	4.4
ZFBM200R00-MJ	10	●	●										20	5.4
ZFBM250R00-MJ	12.5	●	●										25	6.4
ZFBM300R00-MJ	15	●	●										30	7.4
ZFBM320R00-MJ	16	●	●										32	7.4
ZFRM120R05-MJ	0.5	●	●										12	3.4
ZFRM120R10-MJ	1	●	●										12	3.4
ZFRM160R05-MJ	0.5	●	●										16	4.4
ZFRM160R10-MJ	1	●	●										16	4.4
ZFRM160R15-MJ	1.5	●	●										16	4.4
ZFRM200R10-MJ	1	●	●										20	5.4
ZFRM200R15-MJ	1.5	●	●										20	5.4

●: Line-up

STANDARD CUTTING CONDITIONS

ISO	Workpiece materials	Hardness	Priority	Grades	Max. depth of cut (mm)	Cutting speed Vc (m/min)	Feed per tooth: fz (mm/t)							
							D8	D10	D12	D16	D20	D25	D30	D32
P	Low carbon steel, alloy steel	85 - 180 HB	First choice	AH725	≤ 0.04D	180 - 260	0.15	0.2	0.2	0.25	0.25	0.3	0.35	0.35
		85 - 180 HB	For wear resistance	AH710	≤ 0.04D	180 - 260	0.15	0.2	0.2	0.25	0.25	0.3	0.35	0.35
	High carbon steel, alloy steel	180 - 280 HB	First choice	AH725	≤ 0.03D	150 - 230	0.15	0.2	0.2	0.25	0.25	0.3	0.35	0.35
		180 - 280 HB	For wear resistance	AH710	≤ 0.03D	180 - 230	0.15	0.2	0.2	0.25	0.25	0.3	0.35	0.35
	Prehardened steel Die & mold tool steel	40 - 48 HRC	First choice	AH710	≤ 0.03D	180 - 300	0.15	0.15	0.2	0.2	0.25	0.25	0.3	0.3
		40 - 48 HRC	For fracture resistance	AH725	≤ 0.03D	180 - 300	0.15	0.15	0.2	0.2	0.25	0.25	0.3	0.3
M	Stainless steel	135 - 200 HB	First choice	AH725	≤ 0.03D	100 - 250	0.1	0.15	0.2	0.2	0.25	0.25	0.3	0.3
K	Cast iron	150 - 240 HB	First choice	AH710	≤ 0.04D	90 - 350	0.2	0.2	0.25	0.3	0.3	0.35	0.4	0.4
		150 - 240 HB	For fracture resistance	AH725	≤ 0.04D	90 - 350	0.2	0.2	0.25	0.3	0.3	0.35	0.4	0.4
N	Aluminium	-	First choice	AH725	≤ 0.03D	200 - 400	0.25	0.25	0.35	0.35	0.35	0.4	0.4	0.45
H	High hardened steel	48 - 65 HRC	First choice	AH710	≤ 0.02D	100 - 350	0.08	0.08	0.1	0.13	0.15	0.2	0.2	0.25

- Remove excessive chip accumulation with an air blast.
- For the operation with depth of cut which varies (ex. casting skin) and machining of workpiece materials with interrupted surface, the feed per tooth (fz) should be set to the lower recommended value shown in the above table.

- Cutting conditions maybe limited depending on machine power, workpiece rigidity, and spindle output. When the cutting width, depth, or overhang length is large, set Vc and fz to the lower recommended values and check the machine power and vibration.

How to clamp the insert

1. Clear chips and dust from the pocket.
2. Place the insert in the pocket. The insert can be placed only in one direction.
3. Tighten the screw while pressing the insert into the pocket.





How to check the run-out

1. Clamp the insert on the shank.
2. Clamp the shank on a high-precision arbor.
3. Measure the run-out on tool presetter or by dial gauge.

Notes:

1. Due to the helical cutting edge, it is important that the run-out is inspected with the insert clamped on the shank.
2. Do not use micrometer or caliper to inspect the insert diameter as inaccurate dimensions may be provided.

PRACTICAL EXAMPLES

Workpiece type		Mold part	Mold part	
Cutter		EBFM20S20C220	EBFM12S12S110	
Insert		ZFBM200R00-MJ	ZFBM120R00-MJ	
Grade		AH725	AH725	
Workpiece material		SKD11	STAVAX	
				
Cutting conditions	Cutting speed: V_c (m/min)	350	360	
	Feed per tooth: f_z (mm/t)	0.15	0.09	
	Depth of cut: a_p (mm)	0.2	0.5	
	Pick feed: pf (mm)	0.3	1.0	
	Method of machining	Profiling	Profiling	
	Coolant	Dry	Internal supply, water-soluble coolant	
	Machine	M/C, BT50	M/C, BT40	
Results	 <p>50% longer tool life!</p> <p>BallFinishNose's tool life was 50% longer than the competitor's due to high wear resistance.</p>		 <p>54% longer tool life!</p> <p>BallFinishNose's cutting length was 54% longer than the competitor's due to excellent chip evacuation.</p>	





Tungaloy Corporation (Head office)

11-1 Yoshima-Kogyodanchi
Iwaki-city, Fukushima, 970-1144 Japan
Phone: +81-246-36-8501
Fax: +81-246-36-8542
www.tungaloy.co.jp

Tungaloy America, Inc.

3726 N Ventura Drive
Arlington Heights, IL 60004, U.S.A.
Phone: +1-888-554-8394
Fax: +1-888-554-8392
www.tungaloyamerica.com

Tungaloy Canada

432 Elgin St. Unit 3
Brantford, Ontario N3S 7P7, Canada
Phone: +1-519-758-5779
Fax: +1-519-758-5791
www.tungaloy.co.jp/ca

Tungaloy de Mexico S.A.

C Los Arellano 113,
Parque Industrial Siglo XXI
Aguascalientes, AGS, Mexico 20290
Phone: +52-449-929-5410
Fax: +52-449-929-5411
www.tungaloy.co.jp/mx

Tungaloy do Brasil Ltda.

Avd. Independencia N4158 Residencial Flora
13280-000 Vinhedo, São Paulo, Brasil
Phone: +55-19-38262757
Fax: +55-19-38262757
www.tungaloy.com.br

Tungaloy Germany GmbH

An der Alten Ziegelei 1
D-40789 Monheim, Germany
Phone: +49-2173-90420-0
Fax: +49-2173-90420-19
www.tungaloy.de

Tungaloy France S.A.S.

ZA Courtaboef - Le Rio
1 rue de la Terre de feu
F-91952 Courtaboef Cedex, France
Phone: +33-1-6486-4300
Fax: +33-1-6907-7817
www.tungaloy.fr

Tungaloy Italia S.r.l.

Via E. Andolfato 10
I-20126 Milano, Italy
Phone: +39-02-252012-1
Fax: +39-02-252012-65
www.tungaloy.it

Tungaloy Czech s.r.o.

Turanka 115
CZ-627 00 Brno, Czech Republic
Phone: +420-532 123 391
Fax: +420-532 123 392
www.tungaloy.cz

Tungaloy Ibérica S.L.

C/Miquel Servet, 43B, Nau 7
Pol. Ind. Bufalvent
ES-08243 Manresa (BCN), Spain
Phone: +34 93 113 1360
Fax: +34 93 876 2798
www.tungaloy.es

Tungaloy Scandinavia AB

Bultgatan 38
442 40 Kungälv, Sweden
Phone: +46-462119200
www.tungaloy.se

Tungaloy Rus, LLC

115432, Russian Federation, Moscow,
Andropova avenue., h.18, bld.7, flt. 11,
office 3.
Phone: +7-499-683-01-80/81
www.tungaloy.co.jp/ru

Tungaloy East LLC

620075, Russian Federation, Sverdlovsk
Region, Ekaterinburg, Mamina-Sibiryaka str.,
bldg. 101, room 202
Phone: +7-343-286-48-23/24
Fax: +7-912-284-91-69
www.tungaloy.co.jp/ru

Tungaloy Polska Sp. z o.o.

ul. Genewska 24
03-963 Warszawa, Poland
Phone: +48-22-617-0890
Fax: +48-22-617-0890
www.tungaloy.co.jp/pl

Tungaloy U.K. Ltd

The Technology Centre,
Wolverhampton Science Park
Glaisher Drive, Wolverhampton
West Midlands WV10 9RU, UK
Phone: +44 121 4000 231
Fax: +44 121 270 9694
www.tungaloy.co.jp/uk
salesinfo@tungaloyuk.co.uk

Tungaloy Hungary Kft

Erzsébet királyné útja 125
H-1142 Budapest, Hungary
Phone: +36 1 781-6846
Fax: +36 1 781-6866
www.tungaloy.co.jp/hu
info@tungaloytools.hu

Tungaloy Turkey

Dudullu, OSB 4. Cad No:4
34776 Umraniye Istanbul, TURKEY
Phone: +90 216 540 04 67
Fax: +90 216 540 04 87
www.tungaloy.com.tr
info@tungaloy.com.tr

Tungaloy Benelux b.v.

Tjalk 70
NL-2411 NZ Bodegraven, Netherlands
Phone: +31 172 630 420
Fax: +31 172 630 429
www.tungaloy-benelux.com

Tungaloy Croatia

Josipa Kozarca 4
10432 Bregana, Croatia
Phone: +385 1 3326 604
Fax: +385 1 3327 683
www.tungaloy.hr

Tungaloy Cutting Tool (Shanghai) Co., Ltd.

Rm No 401 No.88 Zhabei
Jiangchang No.3 Rd
Shanghai 200436, China
Phone: +86-21-3632-1880
Fax: +86-21-3621-1918
www.tungaloy.co.jp/tots

Tungaloy Cutting Tool (Thailand) Co., Ltd.

Interlink tower 4th Fl.
1858/5-7 Bangna-Trad Road
km.5 Bangna, Bangna, Bangkok 10260
Thailand
Phone: +66-2-751-5711
Fax: +66-2-751-5715
www.tungaloy.co.th

Tungaloy Singapore (Pte.), Ltd.

62 Ubi Road 1, #06-11 Oxley BizHub 2
Singapore 408734
Phone: +65-6391-1833
Fax: +65-6299-4557
www.tungaloy.co.jp/tspl

Tungaloy Vietnam

LE 04-38, Lexington Residence
67 Mai Chi Tho, Dist. 2,
Ho Chi Minh City, Vietnam
Phone: +84-8-37406660
Fax: +84-8-37406662
www.tungaloy.co.jp/tspl

Tungaloy India Pvt. Ltd.

Indiabulls Finance Centre,
Unit # 902-A, 9th Floor,
Tower 1, Senapati Bapat Marg,
Elphinstone Road (West),
Mumbai -400013, India
Phone: +91-22-6124-8804
Fax: +91-22-6124-8899
www.tungaloy.co.jp/in

Tungaloy Korea Co., Ltd

#1312, Byucksan Digital Valley 5-cha
Beotkkot-ro 244, Geumcheon-gu
153-788 Seoul, Korea
Phone: +82-2-2621-6161
Fax: +82-2-6393-8952
www.tungaloy.co.jp/kr

Tungaloy Malaysia Sdn Bhd

50 K-2, Kelana Mall, Jalan SS6/14
Kelana Jaya, 47301
Petaling Jaya, Selangor Darul Ehsan
Malaysia
Phone: +603-7805-3222
Fax: +603-7804-8563
www.tungaloy.co.jp/my

Tungaloy Australia Pty Ltd

PO Box 2232, Rowville,
Victoria 3178, Australia
Phone: +61-3-9755-8147
Fax: +61-3-9755-6070
www.tungaloy.com.au

PT. Tungaloy Indonesia

Kompleks Grand Wisata Block AA-10 No.3-5
Cibitung
Bekasi 17510, Indonesia
Phone: +62-21-8261-5808
Fax: +62-21-8261-5809
www.tungaloy.co.jp/id



www.tungaloy.com

follow us at:
facebook.com/tungaloyjapan
twitter.com/tungaloyjapan

To see this product in action visit:

Tung-TV

www.youtube.com/tungaloycorporation

Distributed by:



DOWNLOAD
Dr. Carbide App



FIND US ON THE CLOUD!
machiningcloud.com



Available on the
App Store



GET IT ON
Google play



AS9100 Certified
78006
2015.11.04
ISO14001 Certified
EC97J1123
1997.11.26